

What Are the Benefits of Plants Indoors and Why Do We Respond Positively to Them?

Virginia I. Lohr

Department of Horticulture and Landscape Architecture

Washington State University

Pullman, WA 99164-6414, USA

Keywords: foliage plants, human issues in horticulture, human well-being, interior plants, people-plant interaction, response to nature

Abstract

Plants are essential for our survival. They provide food, fiber, building material, fuel, and pharmaceuticals. Plants also produce intangible benefits for people, such as improving our health. These benefits occur with plants outdoors and indoors. People have been bringing plants into their homes for thousands of years. We increasingly work indoors, and we are making ample use of plants in these spaces as well. Plants indoors have many benefits. Physically, they contribute to cleaner, healthier air for us to breathe, thus improving our well-being and comfort. They make our surroundings more pleasant, and they make us feel calmer. Interior plants have been associated with reduced stress, increased pain tolerance, and improved productivity in people. Research studies documenting some of the benefits associated with interior plants are discussed. Of increasing interest to many people is the question of why plants have intangible positive effects on us. If we understand this, then we can make better recommendations regarding the use of plants indoors and out to enhance their effects of people. Studies indicate that people have learned and innate responses to plants. Some of these responses appear to have genetic components. Specific studies are summarized, and potential applications of the results of these studies are presented.

INTRODUCTION

Plants are essential for life as we know it. They provide food, fiber, building material, fuel, and pharmaceuticals. Plants also decorate our homes, both inside and out, and mark special occasions, such as weddings and funerals. For thousands of years, people around the world have grown plants in containers and brought them into their living spaces. For thousands of years, plants and gardening have also been considered good for people, physically, mentally, and socially, yet until recently, information about the intangible effects of plants on people were based on case studies, such as people saying working in their gardens made them feel better. Today there are numerous scientific studies documenting the relationships between people and plants, both indoors and out (for summaries, see: Lohr, 2000; Pearson-Mims and Lohr, 2000; Relf and Lohr, 2003). The range of benefits that has been documented is broad: air quality is improved (Wood et al., 2002), stress is lowered (Dijkstra et al., 2008), recovery from illness is faster (Ulrich, 1984), mental fatigue is reduced (Tennessen and Cimprich, 1995), and productivity is higher (Lohr et al., 1996).

Studies on the benefits of plants are contributing to an increased use of plants to solve both environmental and health problems. The physical cause of the tangible effects, such as removing air pollutants, are relatively well understood. The basis for the intangible effects, such as increased happiness, is not well-understood. A lack of understanding of the theoretical basis hinders the most effective use of plants to deal with these issues. This paper examines some of the studies that have documented the beneficial effects of plants, focusing on those used indoors, and then examines some of the postulated reasons why humans respond positively to plants.

BENEFITS OF INTERIOR PLANTS

Indoor Air Quality

One of the ways plants affect people is through the physical changes that plants cause to their surroundings. For example, plants release oxygen and moisture into the air. Some of these changes to the environment can increase the health and comfort level for humans in enclosed environments. Interior plants are now playing a role in phyto-remediation, and significant work has been done in this area.

1. Air Pollutants. The U.S. National Aeronautics and Space Administration funded early studies on using plants to clean the air in space stations. The studies showed that many common foliage plants reduced levels of some interior pollutants, including formaldehyde and carbon monoxide, from small, sealed test chambers (Wolverton et al., 1984; 1985). The pollution reduction was largely due to bacteria growing on the plant roots (Wolverton et al., 1989; Wood et al., 2002). Further research has shown that plants remove many indoor air pollutants, including ozone, toluene, and benzene (Darlington et al., 2001; Wood et al., 2002; Papinchak et al., 2009). When this research first received wide publicity, many in the building industry dismissed the work, because it was done in small controlled chambers. Recent studies have shown that the effect does scale up to the whole building level (Burchett et al., 2005). Based on such findings, Darlington et al. (2001) developed a biofiltration unit with interior plants and an aquarium that can effectively maintain healthy indoor air.

2. Relative Humidity. Other studies on the impacts of plants on air quality, and thus indirectly on human health, have followed. One study documented that foliage plants can raise relative humidity to healthier and more comfortable levels in interior spaces (Lohr, 1992). The relative humidity of the air inside buildings is often below the range of 30% to 60% recommended for human comfort, especially when buildings are being heated. When the indoor relative humidity is too low, colds are more frequent and wood dries and cracks. In this study, when plants were present, less than 2% of the space was occupied by the plants, yet relative humidity was raised from 25% without plants to 30% with plants. Some people have been concerned that interior plants might increase relative humidity too much, but this is unlikely to occur: when the relative humidity rises, the rate of water loss from the plant slows, because water does not evaporate as rapidly when humidity is high.

3. Particulate Matter. The influence of interior plants on dust accumulation has also been explored (Lohr and Pearson-Mims, 1996). Adding plants to the periphery of a room reduced particulate matter deposition by as much as 20%, even in center of the room many meters from the plants. The plants were in self-watering containers that watered the plants from below, and the growing medium surface was extremely dry and dusty. Documenting that under such circumstance interior plants were associated with reduced dust was especially important, because it allayed fears that the growing medium in containers might actually be making interiors dustier.

4. Acoustics. A study conducted by Costa and Lothian examined the effects of interior plants on acoustics in interior spaces (Freeman, 2003). This study found, as is common in studies of acoustics, that the effects were complex. They showed that plants can reflect, diffract, or absorb sounds, depending on the frequency. Plants were shown to reduce noise under certain conditions. The response was affected by many variables, including sound frequency, plant placement, and the specific room. Generally, the researchers found that plants worked best at reducing high frequencies sounds in rooms with hard surfaces; the effect was similar to adding carpet.

Well-being

1. Feelings. Many studies asking people how they feel in the presence or absence of plants have revealed a number of positive feelings associated with plants. In a study of

people working on a computer task, there were significant differences on the item "I feel attentive or concentrating" (Lohr et al., 1996). When foliage plants were in the room, people reported feeling more attentive than did people in the room without plants (3.8 vs. 3.3, respectively, on a scale from 1 = not at all to 5 = very much).

In another study, people were asked how they felt in a room with three different treatments: no colorful objects, colorful objects, or interior plants (Lohr and Pearson-Mims, 2000). People felt significantly more "carefree or playful" and more "friendly or affectionate" in the room with interior plants than in the room with or without decorative objects.

Another study compared offices workers in buildings with or without interior plants and with or without windows with views of green spaces (Dravigne et al., 2008). No more than 60% of people working in offices without plants, whether they had views of green or not, reported feeling "content" or "very happy," while 69% of people working in offices with plants but no windows and 82% of those with both plants and window views were "content" or "very happy."

2. Stress Reduction. A number of early studies showed that people recover from stress more quickly when viewing slides or videotapes of nature than when viewing images of urban scenes (Ulrich, 1979; Ulrich, 1981). These studies used stressful pretreatments, such as viewing a video on workplace accidents, and asked people to watch images during a recovery phase. These studies used images of outdoor nature, which even included water and birds, in some cases.

A later study showed that stress reducing responses also occur when people are in a room with a few containerized interior plants, even when their attention is not drawn to the plants (Lohr et al., 1996). People were asked to participate in a study measuring their responses when performing a computer task. Participants were randomly assigned to perform the task when no plants were in the room or when plants were present and positioned within the participant's peripheral vision. While performing the computer task, participants' systolic blood pressure rose, indicating that the task was stressful. In the presence of plants, the rise was not as great, and it returned to pre-task levels more quickly than for those tested without plants. This documented that interior plants, like images of nature, could produce a calming response. Other researchers have also documented that interior plants evoke stress reducing effects that are similar to those evoked by nature (Dijkstra et al., 2008).

Productivity

Productivity has been shown to be higher when plants are present. The computer task study mentioned above (Lohr et al., 1996) measured productivity by tracking reaction time on a task that involved visual concentration, mental processing, and manual dexterity. People responded significantly more quickly when plants were in the room than when the plants were absent, and there was no increase in error rate associated with the faster response. Reaction time in the presence of plants was 12% faster than in the absence of plants, indicating that plants contributed to increased productivity.

Mental fatigue has also been shown to be reduced by plants (Tennessen and Cimprich, 1995). Students were asked to perform various tasks in their dorm rooms. While the students were working on the task, the view from their dorm window was recorded. The students living in dorm rooms looking out over nature, such as trees and grass, were less mentally fatigued and more productive than those with views of a built environment, such as sidewalks and parking lots.

Health Improvement

1. Pain Reduction. Other researchers have examined the effects of plants on people with specific health problems. One of the first studies showed that people recovered more quickly from surgery if they had a view of trees from their hospital room rather than a

view of a wall (Ulrich, 1984). These patients, who were experiencing acute pain, also used fewer doses of strong pain medications if their rooms had a view of trees.

Pain tolerance is also increased in the presence of interior plants among people who are not in acute pain (Lohr and Pearson-Mims, 2000; Lohr and Pearson-Mims, 2008). Subjects were tested in a room with one of three treatments: control, added colorful non-plant objects, or added plants. The room with plants was significantly more interesting, comfortable, and ornate than the control room, but the room with plants was not more interesting, colorful, or attractive than the room with colorful objects. Thus, both the plants and the non-plant objects rooms were similar in their potential to provide visual distractions to help one concentrate on something other than discomfort. Subjects placed a hand in ice water and were told they could remove it at any time. The percent of people who left their hand in the ice water for five minutes (the time at which their hand would be numb) was recorded. Perceptions of physical discomfort were lower in the room with plants than in the room without plants or the room with colorful objects. This demonstrated that the positive benefits of plants are not simply associated with their decorative value or their use as a distraction to help keep one's mind off of the discomfort, because colorful objects were not as effective in influencing pain tolerance.

2. General Discomfort. The positive effects of plants on physical symptoms have been documented. For example, in a study in Norway, workers in an office with foliage plants reported fewer physical symptoms, including coughing, hoarse throat, and fatigue, than when no plants were present (Fjeld, 2000). Results of a study of elderly residents in an assisted living facility who participated in a project to grow indoor plants in their rooms found that they reported significantly improved feelings of health after working with the plants (Collins and O'Callaghan, 2008).

WHY WE RESPOND

People have developed in conjunction with nature. It seems reasonable to assume that we would also have developed cues to factors in our surroundings related to nature and our survival. In fact, we know that people respond to day length (Bronson, 2004). Why shouldn't people also respond to other aspects of nature, such as plants and the weather?

Behavioral Ecology

Our responses to nature and our surroundings are influenced by both innate and learned components, that is, genotype and phenotype (Balling and Falk, 1982; Miyazaki and Tsunetsugu, 2005). Balling and Falk (1982) showed photos of different biomes to children and adults. Adults in their study expressed preferences for both the African savanna photos and photos of the biome where they grew up, such as a deciduous forest, while young children only expressed a preference for the savanna. The authors suggested that the children were expressing an innate preference (genotype), while adults were expressing both the innate and learned preferences (genotype and phenotype).

Good habitats provide areas that are low risk while searching for food and shelter (Orians, 1980). Since the energy expended to locate suitable habitat is high, quick recognition of cues associated with high quality habitats would be valuable. Orians and Heerwagen (1992) suggested that being able to recognize quality habitats is innate knowledge. They suggested that highly productive habitats for early humans were characterized by specific tree attributes: overall forms that are more broad than tall, canopies that are more wide than deep, and trunks that are short relative to the tree height. These tree attributes afforded humans prospect/refuge qualities: climbing the trees could aid in the detection of prey and offer quick escape from predators as well (Appleton, 1975). Trees with this form, such as *Acacia tortilis*, existed in the East African savanna and were associated with habitats that were good for human habitation (Appleton, 1975; Orians, 1980; Balling and Falk, 1982; Orians, 1986). Other species of acacia survive in

extremely dry as well as extremely wet areas, but they only assume the wide spreading form when they are growing in areas with average moisture, thus this form could be a cue to good habitat. For example, in areas that would be too dry to be favorable for human habitation, *Acacia mellifera* grows and it is short, dense, and shrubby; in areas that would be too wet, *Acacia xanthophloea* can be found, which is tall and narrow (Orians 1986). Some researchers theorize that our responses to savanna-type environments are a result of our evolutionary origins and suitability of these habitats for human survival (Appleton, 1975; Orians, 1980; Orians, 1986; Orians, 1998).

Environmental Cues

1. Tree Form. Researchers are trying to understand what components of nature evoke responses in people. Tree form has emerged as important in a number of studies, with spreading canopies, similar to the *Acacia tortilis* mentioned above, being much preferred over other tree forms (Orians and Heerwagen, 1992; Sommer and Summit, 1995; Lohr and Pearson-Mims, 2006). This response has been demonstrated in people in Africa, Asia, Europe, and North America (e.g. Orians, 1986; Sommer, 1997). Research has also documented that people exhibit positive emotional responses to the spreading tree form (Lohr and Pearson-Mims, 2006). People viewed urban images with non-natural objects or with trees that were columnar, rounded, or spreading. They preferred looking at any scene with a tree over the non-tree scenes, and the scenes with the spreading tree were the most preferred. People felt happier and less sad when they looked at any of the scenes with trees compared to the non-tree scenes, but the responses were strongest to the scenes with the spreading trees. People also appeared to respond more positively to trees with denser canopies.

2. Color. Color is another variable that is associated with the strength of people's responses to nature and landscapes. Bright greens, which are associated with healthy plants with good nutrient qualities, should be an important landscape cue (Orians and Heerwagen, 1992; Kaufman and Lohr, 2008). A yellowed plant could indicate that it is under environmental stress and thus lacking food potential. Thus, it would be reasonable to hypothesize that some responses to plant color may be pre-programmed, as responses to tree form appear to be, because they both provide useful survival information. Response to colors that indicate nutritive value has been documented in primates, where macaques were shown to select leaves with a particular hue that correlates to leaves with high nutrient content (Lucas et al., 1998). In a study with humans, physiological responses to tree canopies of various hues and intensities were measured. It showed that, while all tree colors were calming, healthy green trees were more calming than other canopy colors, including less bright green, orange, and yellow (Kaufman and Lohr, 2008).

3. Species Diversity. Monocultures are unlikely to provide high quality habitat, so species diversity might also be a cue for preferred habitats for people. A recent study showed that people expressed higher levels of perceived well-being in parks with greater plant diversity (Fuller et al., 2007). In this study, people in 15 different urban parks were asked about their perceptions of well-being. Well-being was positively correlated with measures of plant species diversity in those parks. There was also a weak positive relationship with bird species diversity, but none with butterfly diversity.

4. Fractals. Fractals, which are forms with patterns that repeat themselves as the form is magnified, are present in much of nature such as branching patterns in trees (Hagerhall et al., 2004). Human vision is particularly attuned to fractal patterns in the 1.3 to 1.5 dimensional range, and aesthetically pleasing forms in nature, including the spreading tree form discussed above, fall within this range (Wise and Taylor, 2002). Some researchers claim that the universal appeal of Japanese Zen gardens is due, in part, to the unconscious perception of tree-like shapes or fractal-like "skeletons" inherent in their design (Van Tonder et al., 2002). There is growing evidence that people exhibit lower levels of stress when looking at images with fractal patterns, whether natural or not (Taylor, 2006).

Children in Cities

With increased urbanization worldwide, there is growing concern about children's loss of exposure to nature. A recent book, *Last Child in the Woods* (Louv, 2005), has popularized this idea. Research has shown that adult preferences and attitudes towards plants, which are presumed to be largely learned, are strongly influenced by childhood interactions with nature (Lohr, 2004; Lohr and Pearson-Mims, 2005). If these childhood interactions are lost or reduced, what will the consequences be? Studies, in which 2,004 adults from the largest cities in the US were interviewed, showed how important it is for children to interact with trees, plants, and nature. Adults were asked how often they had spent time "picking flowers, fruits, or vegetables from a garden," "visiting or playing in local parks," or "taking care of indoor or outdoor plants" as children. Increased frequency of each of these activities had a strong positive influence on adult attitudes. For example, 71% of adults who often planted trees, seeds, or plants as a child felt that trees had personal meaning, while only 45% of those who never did so felt this way about trees. These results show the important influence of childhood involvement with plants on adults. The response is stronger if the interaction is active, such as picking flowers, than if it is passive, such as visiting a park. This positive response has been documented in people from a wide range of demographic and ethnic backgrounds.

Conclusions

There are now many studies documenting a wide range of positive effects of plants on people. The importance of plants is not limited to their role in meeting our physical and economic needs. Plants contribute positively to our mental health, improve our physical health, and make our communities safer. An understanding of why people respond to plants is beginning to be examined. Theoretical examinations of possible phenotypic and genotypic components of these responses are yielding useful understandings. If we understand our response to specific aspects of plants, then we might predict our response to plantings before they are put in place. For example, urban environments can be enhanced by including trees of any shape or color. Perhaps in very specific environments, where people are subjected to prolonged stress, such as in healthcare facilities, incorporating more trees with dark green canopies and spreading forms may be important. However, emphasizing the spreading tree form over other forms should not be done in all urban spaces. There are a limited number of species that naturally develop spreading canopies; they could easily become overplanted, and the necessary diversity of the urban forest could be reduced. Human well-being can be improved by planting trees of any form and any color.

Many of the research studies documenting the beneficial effects of plants on people have focused on plants outdoors or on scenes of nature. Research has shown that interior plants in individual containers can also produce the same benefits.. Research has confirmed the stress-reducing benefits of passively viewing plants. It has demonstrated that people's impressions of a room and their mental well-being can be significantly improved when plants are added. It also has shown that productivity and mental functioning are improved and that pain perception can be reduced. Research on the effects of plants on people has shown, in essence, that plants are essential for people to be at their best. Plants are needed in our lives, all around us, everyday. They have a civilizing effect; they humanize our surroundings.

Literature Cited

- Appleton, J.H. 1975. *The experience of landscape*. John Wiley, New York.
- Balling, J.D. and Falk, J.H. 1982. Development of visual preference for natural environments. *Environ. Behavior* 14:5-28.

- Bronson, F.H. 2004. Are humans seasonally photoperiodic? *J. Biol. Rhythms* 19: 180-192.
- Burchett, M., Wood, R., Orwell, R., Tarran, J., Torpy, F. and Alquezar, R. 2005. How and why potted-plants really do clean indoor air summary. http://www.nipa.asn.au/docs/mburchett_transcript_040305.pdf.
- Collins, C.C. and O'Callaghan, A.M. 2008. The impact of horticultural responsibility on health indicators and quality of life in assisted living. *HortTechnol.* 18:611-618.
- Darlington, A.B., Dat, J.F. and Dixon, M.A. 2001. The biofiltration of indoor air: Air flux and temperature influences the removal of toluene, ethylbenzene, and xylene. *Environ. Sci. Technol.* 35:240-246.
- Dijkstra, K., Pieterse, M.E. and Pruyn, A. 2008. Stress-reducing effects of indoor plants in the built healthcare environment: The mediating role of perceived attractiveness. *Preventive Medicine* 47:279-283.
- Dravigne, A., Waliczek, T.M., Lineberger, R.D. and Zajicek, J.M. 2008. The effect of live plants and window views of green spaces on perceptions of job satisfaction. *HortSci.* 43:183-187.
- Fjeld, T. 2000. The effect of interior planting on health and discomfort among workers and school children. *HortTechnol.* 10:46-52.
- Freeman, K. 2003. Plants and their acoustic benefits. <http://www.plants-in-buildings.com/acoustic.php>.
- Fuller, R.A., Irvine, K.N., Devine-Wright, P., Warren, P.H. and Gaston, K.J. 2007. Psychological benefits of greenspace increase with biodiversity. *Biol. Letters* 3:390-394.
- Hagerhall, C.M., Pursell, T. and Taylor, R. 2004. Fractal dimension of landscape silhouette outlines as a predictor of landscape preference. *J. Environ. Psychol.* 24:247-255.
- Kaufman, A.J. and Lohr, V.I. 2008. Does it matter what color tree you plant? *Acta Hort.* 790:179-184.
- Lohr, V.I. 1992. The contribution of interior plants to relative humidity in an office. p. 117-119. In: D. Relf (ed.), *The Role of Horticulture in Human Well-being and Social Development*. Timber Press, Portland, Oregon.
- Lohr, V.I. 2000. Human-horticulture relationships in North and South America. *Acta Hort.* 523:109-114.
- Lohr, V.I. 2004. Effect of childhood experiences with nature, including planting trees, on adult understanding of trees in cities. *Acta Hort.* 643:183-187.
- Lohr, V.I. and Pearson-Mims, C.H. 1996. Particulate matter accumulation on horizontal surfaces in interiors: Influence of foliage plants. *Atmospheric Environ.* 30:2565-2568.
- Lohr, V.I. and Pearson-Mims, C.H. 2000. Physical discomfort may be reduced in the presence of interior plants. *HortTechnol.* 10:53-58.
- Lohr, V.I. and Pearson-Mims, C.H. 2005. Children's active and passive interactions with plants and gardening influence their attitudes and actions towards plants and the environment as adults. *HortTechnol.* 15:472-476.
- Lohr, V.I. and Pearson-Mims, C.H. 2006. Responses to scenes with spreading, rounded and conical tree forms. *Environ. Behavior* 38:667-688
- Lohr, V.I. and Pearson-Mims, C.H. 2008. People's response to discomfort in the presence of interior plants or art. *Acta Hort.* 790:173-178.
- Lohr, V.I., Pearson-Mims, C.H. and Goodwin, G.K. 1996. Interior plants may improve worker productivity and reduce stress in a windowless environment. *J. Environ. Hort.* 14:97-100.
- Louv, R. 2005. *Last Child in the Woods: Saving Our Children from Nature-Deficit Disorder*. Algonquin Books, Chapel Hill, NC.

- Lucas, P.W., Darvell, B.W., Lee, P.K.D., Yuen, T.D.B. and Choog, M.F. 1998. Colour cues for leaf food selection by long-tailed macaques (*Macaca fascicularis*) with a new suggestion for the evolution of trichromatic colour vision. *Folia Primatol.* 69:139-152.
- Miyazaki, Y. and Tsunetsugu, Y. 2005. A tentative proposal on physiological polymorphism and its experimental approaches. *J Physiol Anthropol Appl Human Sci* 24:297-300.
- Orians, G.H. 1980. Habitat selection. p. 49-66. In: J.S. Lockard (ed.), *The Evolution of Human Social Behavior*. Elsevier, Amsterdam.
- Orians, G.H. 1986. An ecological and evolutionary approach to landscape aesthetics. p. 3-22. In: E.C. Penning-Roswell and D. Lowenthal (eds.), *Landscape Meanings and Values*. Allen and Unwin, London.
- Orians, G.H. 1998. Human behavioral ecology: 140 years without Darwin is too long. *Bulletin Ecological Soc. Amer.* 79:15-28.
- Orians, G.H. and Heerwagen, J.H. 1992. Evolved responses to landscapes. p. 555-579. In: J.H. Barkow, L. Cosmides and J. Tooby (eds.), *The Adapted Mind: Evolutionary Psychology and the Generation of Culture*. Oxford Univ. Press, New York.
- Papinchak, H.L., Holcomb, E.J., Best, T.O. and Decoteau, D.R. 2009. Effectiveness of houseplants in reducing the indoor air pollutant ozone. *HortTechnol.* 19:286-290.
- Pearson-Mims, C.H. and Lohr, V.I. 2000. Reported impacts of interior plantscaping in office environments in the United States. *HortTechnol.* 10:82-86.
- Relf, P.D. and Lohr, V.I. 2003. Human issues in horticulture. *HortSci.* 38:984-993.
- Sommer, R. 1997. Further cross-national studies of tree form preferences. *Ecological Psychol* 9:153-160.
- Sommer, R. and Summit, J. 1995. An exploratory study of preferred tree form. *Environ. Behavior* 27:540-557.
- Taylor, R.P. 2006. Reduction of physiological stress using fractal art and architecture. *Leonardo* 39:245-251.
- Tennessen, C.M. and Cimprich, B. 1995. Views to nature: Effects on attention. *J. Environ. Psychol.* 15:77-85.
- Ulrich, R.S. 1979. Visual landscapes and psychological well-being. *Landscape Res.* 4:17-23.
- Ulrich, R.S. 1981. Natural versus urban scenes. *Environ. Behavior* 13:523-556.
- Ulrich, R.S. 1984. View through a window may influence recovery from surgery. *Science* 224:420-421.
- Van Tonder, G.J., Lyons, M.J. and Ejima, Y. 2002. Visual structure of a Japanese Zen garden. *Nature* 419:359-360.
- Wise, J.A. and Taylor, R.P. 2002. Fractal design strategies for enhancement of knowledge work environments. *Proc. 46th Meeting Human Factors and Ergonomics Soc.*, Santa Monica, CA. p. 854-859.
- Wolverton, B.C., Johnson, A. and Bounds, K. 1989. Interior landscape plants for indoor air pollution abatement. Final report: Plants for clear air. NASA, Stennis Space Center, Miss.
- Wolverton, B.C., McDonald, R.C. and Mesick, H.H. 1985. Foliage plants for indoor removal of the primary combustion gases carbon monoxide and nitrogen dioxide. *J. Miss. Acad. Sci.* XXX:1-8.
- Wolverton, B.C., McDonald, R.C. and Watkins, Jr., E.A. 1984. Foliage plants for removing indoor air pollutants from energy efficient homes. *Econ. Bot.* 38:224-228.
- Wood, R.A., Orwell, R.L., Tarran, J., Torpy, F. and Burchett, M. 2002. Potted-plant/growth media interactions and capacities for removal of volatiles from indoor air. *J. Hort. Sci. Biotechnol.* 77:120-129.