

**Raymond W. Lee**  
School of Biological Sciences  
Washington State University  
Pullman, WA 99164  
509 335 3553, FAX 509 335 3184  
rwlee@wsu.edu

## EDUCATION

Ph.D., Biology; University of California at Santa Barbara, 1994  
B.A., Biology; Pomona College, Claremont, California, 1987

## TEACHING EXPERIENCE

### Faculty

2004- **Associate Professor**, School of Biological Sciences, Washington State University  
1998-04 **Assistant Professor**, Dept. of Zoology, Washington State University  
1998 **Teaching Fellow**, Dept. of Molecular and Cellular Biology,  
Harvard University

### Graduate

1989-90 **Teaching Assistant**, Dept. Biol. Sciences, UC Santa Barbara;  
1987-89 **Science Teacher**, The Dunn School, Los Olivos, CA

### Undergraduate

1986-87 **Teaching Assistant**, Biology Dept., Pomona College, CA  
1986-90 **Outdoor Education Instructor**, Gold Arrow Camp, CA

## PUBLICATIONS

Becker, E.L., Cordes, E.E., Macko, S.A., Lee, R.W., and Fisher, C.R. (2013). Using Stable Isotope Compositions of Animal Tissues to Infer Trophic Interactions in Gulf of Mexico Lower Slope Seep Communities. *PLoS ONE* 8, e74459.

Henschke, N., Bowden, D., Everett, J., Holmes, S., Kloser, R., Lee, R., and Suthers, I. (2013). Salp-falls in the Tasman Sea: a major food input to deep-sea benthos. *Marine Ecology Progress Series* 491, 165-175.

Yost, D.M., Wang, L.-H., Fan, T.-Y., Chen, C.-S., Lee, R.W., Sogin, E., and Gates, R.D. (2013). Diversity in skeletal architecture influences biological heterogeneity and Symbiodinium habitat in corals. *Zoology* 116:262-269

Bates, A.E., Bird, T.J., Robert, K., Onthank, K.L., Quinn, G.P., Juniper, S.K., and Lee, R.W. (2013). Activity and positioning of eurythermal hydrothermal vent sulphide worms in a variable thermal environment. *Journal of Experimental Marine Biology and Ecology* 448, 149-155.

- Cummings, D., Lee, R., Nodder, S., Simpson, S., and Holmes, S. (2013). Trophic status and condition of *Hyalinoecia longibranchiata* from two regions of contrasting oceanic productivity. *Marine Ecology Progress Series* 477, 147–159.
- Wilder, S.M., Norris, M., Lee, R.W., Raubenheimer, D., and Simpson, S.J. (2013). Arthropod food webs become increasingly lipid-limited at higher trophic levels. *Ecology Letters* 16, 895–902.
- Levin, L.A., Ziebis, W., F. Mendoza, G., Bertics, V.J., Washington, T., Gonzalez, J., Thurber, A.R., Ebbe, B., and Lee, R.W. (2013). Ecological release and niche partitioning under stress: Lessons from dorvilleid polychaetes in sulfidic sediments at methane seeps. *Deep Sea Research Part II: Topical Studies in Oceanography* 92, 214–233.
- Robert, K., Onthank, K.L., Juniper, S.K., and Lee, R.W. (2012). Small-scale thermal responses of hydrothermal vent polynoid polychaetes: Preliminary in situ experiments and methodological development. *Journal of Experimental Marine Biology and Ecology* 420-421, 69–76.
- Thornhill, D.J., Struck, T.H., Ebbe, B., Lee, R.W., Mendoza, G.F., Levin, L.A., and Halanych, K.M. (2012). Adaptive radiation in extremophilic Dorvilleidae (Annelida): diversification of a single colonizer or multiple independent lineages? *Ecology and Evolution* 2, 1958–1970.
- Beinart, R. A., Sanders, J. G., Faure, B., Sylva, S. P., Lee, R. W., Becker, E. L., Gartman, A., Luther, G. W., Seewald, J. S., Fisher, C. R., and Girguis, P. R. (2012) PNAS Plus: Evidence for the Role of Endosymbionts in Regional-scale Habitat Partitioning by Hydrothermal Vent Symbioses. *Proceedings of the National Academy of Sciences* doi:10.1073/pnas.1202690109
- Voight, J. R., Lee, R. W., Reft, A. J., and Bates, A. E. (2012) Scientific Gear as a Vector for Non-Native Species at Deep-Sea Hydrothermal Vents. *Conservation Biology* 26: 938–942
- Cummings, D. O., Buhl, J., Lee, R. W., Simpson, S. J., and Holmes, S. P. (2012) Estimating Niche Width Using Stable Isotopes in the Face of Habitat Variability: A Modelling Case Study in the Marine Environment. *PLoS ONE* 7: e40539
- Yohannes, E., Lee, R.W., Popenko, V., Bauchinger, U. (2012) Bone collagen and muscle  $\delta^{13}\text{C}$  in relation to the timing of the migration of Garden Warblers *Sylvia borin* during return migration from Africa. *Journal of Ornithology* 153: 783-791
- Yohannes, E., Lee, R.W. Jochimsen, M.C., Hansson, B. (2011) Stable isotope ratios in winter-grown feathers of Great Reed Warblers *Acrocephalus arundinaceus*, Clamorous Reed Warblers *A. stentoreus* and their hybrids in a sympatric breeding population in Kazakhstan. *IBIS International Journal of Avian Science* 153: 502–508

- Cummings, D.O., Lee, R.W., Simpson, S.J., Booth, D.J., Pile, A.J., Holmes, S.P. (2011) Resource partitioning amongst co-occurring decapods on wellheads from Australia's North–West shelf. An analysis of carbon and nitrogen stable isotopes. *Journal of Experimental Marine Biology and Ecology* 409: 186–193
- Yohannes, E., Palinauskas, V., Valkiunas, G., Lee, R.W., Bolshakov, C.V. (2011) Does avian malaria infection affect feather stable isotope signatures? *Oecologia* 167: 937-942
- Becker, E.L., Macko, S.A., Lee, R.W., Fisher, C.R. (2011) Stable isotopes provide new insights into vestimentiferan physiological ecology at Gulf of Mexico cold seeps *Naturwissenschaften* 98:169–174
- Maricle, B.R., Zwenger, S.R., Lee, R.W. (2011) Carbon, nitrogen, and hydrogen isotope ratios in creekside trees in western Kansas. *Environmental and Experimental Botany* 71: 1–9
- Cummings, D.O., Booth, D.J., Lee, R.W., Simpson, S.J., Pile, A.J. (2010) Ontogenetic diet shifts in the reef fish *Pseudanthias rubrizonatus* from isolated populations on the North-West Shelf of Australia *Mar. Ecol. Prog. Ser.* 419: 211–222
- Johnson, S.B., Waren, A., Lee, R.W., Kano, Y., Kaim, A., Davis, A., Strong, E.E., Vrijenhoek, R.C. (2010) *Rubyspira*, New Genus and Two New Species of Bone-Eating Deep-Sea Snails With Ancient Habits. *Biol. Bull.* 219: 166–177
- Cleveland, A., Verde, A.E., Lee, R.W. (2010) Nutritional exchange in a tropical tripartite symbiosis: direct evidence for the transfer of nutrients from anemonefish to host anemone and zooxanthellae. *Mar. Biol.* 158: 589-602
- Zhang, L., Tan, Q., Lee, R.W., Trethewy, A., Lee, Y., Tegeder, M. (2010) Altered Xylem-Phloem Transfer of Amino Acids Affects Metabolism and Leads to Increased Seed Yield and Oil Content in *Arabidopsis*. *Plant Cell* 22: 3603-3620
- Bates, A., Lee, R.W., Tunnicliffe, V., Lamare, M. (2010). Deep-sea hydrothermal vent animals seek cool fluids in a highly variable thermal environment. *Nature Communications* 1, 14 doi:10.1038/ncomms1014
- Pfeifer, A.M., R.W. Lee, and B.R. Maricle. (2010) Effects of diet, drugs, and activity levels on  $\delta^{13}\text{C}$  of breath and hair of humans. *Transactions of the Kansas Academy of Science* 113:91-102
- Yohannes, E., Valcu, M., Lee, R.W., Kempenaers, B. (2010) Resource use for reproduction depends on spring arrival time and wintering area in an arctic breeding shorebird. *Journal of Avian Biology* 41: 580–590

- Procházka, P., Reif, J., Hořák, D., Klvaňa, P., Lee, R.W., Yohannes, E. (2010) Using stable isotopes to trace resource acquisition and trophic position in four Afrotropical birds with different dietary requirements. *Ostrich* 81: 273-275
- Becker, E.L., Lee, R.W., Macko, S.A., Faure, B.M., and Fisher, C.R. (2010) Stable carbon and nitrogen isotope compositions of hydrocarbon-seep bivalves on the Gulf of Mexico lower continental slope. *Deep-Sea Research II* 57: 1957–1964
- Rinke, C. and Lee, R.W. (2009) A macro camera temperature logger array for deep-sea hydrothermal vent and benthic studies. *Limnol. Oceanogr. Methods* 7: 527-534.
- Yancey, P.H., Ishikawa, J., Meyer, B., Girguis, P.R., Lee R.W. (2009) Thiotaaurine and hypotaaurine contents in polychaetes without thiotrophic endosymbionts at hydrothermal vents: Correlation with sulfide exposure. *Journal of Experimental Zoology* 311A: 439-447
- Levin, L.A., Medoza, G.F., Konotchick, T. and Lee, R.W. (2009) Macrobenthos community structure and trophic relationships within active and inactive Pacific hydrothermal sediments. *Deep Sea Research II* 56: 1632-1648
- Rinke, C. and Lee, R.W. (2009) Pathways, activities and thermal stability of anaerobic and aerobic enzymes in thermophilic vent paralvinellid worms. *Mar. Ecol.Prog. Ser.* 382: 99-112
- Yohannes, E., Hansson, B., Lee R.W., Waldenström, J., Westerdahl, H., Åkesson, M., Hasselquist, D. Bensch S (2008) Isotope signatures in winter moulted feathers predict malaria prevalence in a breeding avian host. *Oecologia* 158:299–306
- Yohannes E, Bensch S, Lee R.W. (2008) Philopatry of winter moult area in migratory Great Reed Warblers *Acrocephalus arudinaceus* demonstrated by stable isotope profiles. *J Ornithol* 149:261–265
- Goffredi S.K., Wilpiseski R., Lee R.W., and Orphan V.J. (2008) Temporal evolution of methane cycling and phylogenetic diversity of archaea in sediments from a deep-sea whale fall in Monterey Canyon (CA). *The ISME Journal* 2, 204–220
- Maricle B.R., R.W.Lee, C.Hellquist, O.Kiirats, G.E.Edwards (2007) Effects of salinity on chlorophyll fluorescence and CO<sub>2</sub> fixation in C<sub>4</sub> estuarine grasses". *Photosynthetica* 45:433-440
- Rinke, C., Lee, R., Katz, S., Bright, M. (2007) The effects of sulphide on growth and behaviour of the thiotrophic *Zoothamnium niveum* symbiosis *Proc. R. Soc. Lond. B* 272: 2259-2269

- Murphy LR, J Barroca, VR Franceschi, R Lee, EH Roalson, GE Edwards, MSB Ku. (2007) Diversity and plasticity of C<sub>4</sub> photosynthesis in *Eleocharis* (Cyperaceae). *Function Plant Biology* 34: 571-580.
- Rosenberg, N.K., Lee, R.W., and Yancey, P.H. (2006) High contents of hypotaurine and thiotaurine in hydrothermal-vent gastropods without thiotrophic endosymbionts. *Journal of Experimental Zoology* 305: 655-662
- Maricle, B.R. and R.W. Lee. (2006). Root respiration and oxygen flux in salt marsh grasses from different elevational zones. *Marine Biology* 151: 413-423
- Maricle, B.R., J.J. Crosier, B.C. Bussiere, and R.W. Lee. (2006). Respiratory enzyme activities correlate with anoxia tolerance in salt marsh grasses. *Journal of Experimental Marine Biology and Ecology* 337:30-37
- Brown, K.H., Lee, R.W. and Thorgaard, G.H., (2006). Use of androgenesis for estimating maternal and mitochondrial genome effects on development and oxygen consumption in rainbow trout, *Oncorhynchus mykiss*. *Comp. Biochem. Physiol. B Biochem. Mol. Bio* 143: 415-421
- Stuadigel, H., Hart, S., Pile, A., Bailey, B. Baker, E., Brooke, S., Koppers, A., Konter, J., Haucke, L., Hudson, I., Jones, D., Lee, R.W., Tebo, B., Templeton, A., Zierenberg, R., Young, C. (2006) Vailulu'u Seamount, Samoa: Life and death on the edge of a submarine volcano. *Proceedings of the National Academy of Sciences* 2006 103: 6448-6453
- Maricle, B.R. and R.W. Lee. (2006). Effects of environmental salinity on carbon isotope discrimination and stomatal conductance in *Spartina* grasses. *Marine Ecology Progress Series* 313:305-310.
- Girguis, P.R. and Lee, R.W. (2006). Thermal preference and tolerance of alvinellids. *Science* 312: 213
- Barroca J, LR Murphy, VR Franceschi, R Lee, E Roalson, GE Edwards, MS Ku. (2005) Diversification and plasticity of C<sub>4</sub> photosynthetic pathway in *Eleocharis* (Cyperaceae). In: *Photosynthesis: Fundamental Aspects to Global Perspectives*. Eds. A. van der Est and D. Bruce. Springer. pp. 646-648
- Goffredi, S.K., Orphan, V.J., Rouse, G.W., Jahnke, L., Embaye, T., Turk, K., Lee, R.W., and Vrijenhoek, R.C. (2005). Evolutionary innovation: A bone-eating marine symbiosis. *Environ. Microbiol.* 7: 1369-1378
- Bates A.E., Tunnicliffe V, Lee R.W. (2005). Role of thermal conditions in habitat selection by hydrothermal vent gastropods. *Mar. Ecol. Prog. Ser.* 305:1-15

- Joyner, J. L., Peyer, S. M. and Lee, R. W. (2003). The possible role of sulfur-containing amino acids in sulfide detoxification in a chemoautotrophic bacteria/mollusc symbiosis. *Biol. Bull.* 205, 331-338.
- Lee, R. W. (2003). Thermal tolerances of deep-sea hydrothermal vent animals from the Northeast Pacific. *Biol. Bull.* 205, 98-101
- Lee, R. W. (2003). Physiological adaptations of the invasive cordgrass *Spartina anglica* to reducing sediments: Rhizome metabolic gas fluxes and enhanced O<sub>2</sub> and H<sub>2</sub>S transport. *Marine Biology* 143, 9-15.
- Cariello, M.O., Schwabl, H.G., Lee, R.W., Macedo, R.H.F. (2002). Individual female clutch identification through yolk protein electrophoresis in the communally-breeding guira cuckoo (*Guira guira*). *Molecular Ecology* 11: 2417-2424
- Maricle, B., Lee, R.W. (2002). Aerenchyma development and oxygen transport in the estuarine cordgrasses *Spartina alterniflora* and *S. anglica*. *Aquatic Botany* 74: 109-120
- Sahling, H., Rickert, D., Linke, P., Suess, E., Lee, R.W. 2001. Macrofaunal community structure and sulfide flux at gas hydrate deposits from the Cascadia convergent margin. *Mar. Ecol. Prog. Ser.* 231:121-138
- Girguis, P.R., Lee, R.W., Desaulniers, N., Childress, J.J., Pospesel, M., Felbeck, H., Zal, F. 2000. Fate of nitrate assimilated by the tubeworm *Riftia pachyptila*. *Appl. Environ. Microbiol.* 66: 2783-2790.
- Lee, R.W., Kraus, D.W., Doeller, J.E. 1999. Oxidation of sulfide by *Spartina alterniflora* roots. *Limnol. Oceanogr.* 44: 1155-1159.
- Lee, R.W. 1999. Chemoautotrophic bacteria-marine invertebrate symbioses: Adaptations for autotrophic carbon and nitrogen assimilation. *In* J. Seckbach (Ed.) *Enigmatic Microorganisms and Life in Extreme Environments.*, Kluwer Academic Publishers, pp. 513-523.
- Lee, R.W., Robinson, J.J., Cavanaugh, C.M. 1999. Pathways of inorganic nitrogen assimilation in chemoautotrophic bacteria-marine invertebrate symbioses: Expression of host and symbiont glutamine synthetase. *J. exp. Biol.* 202: 289-300.
- Lee, R.W., Childress, J.J., Desaulniers, N.T. 1997. Effects of ammonia exposure on ammonia and taurine pools of the symbiotic clam *Solemya reidi*. *J. exp. Biol* 200: 2797-2805
- Goffredi, S.K., Childress, J.J., Desaulniers, N.T., Lee, R.W., Lallier, F.H., Hammond, D. 1997. Inorganic carbon acquisition by the hydrothermal vent tubeworm *Riftia*

- pachyptila* depends upon high external pCO<sub>2</sub> and on proton equivalent ion transport by the worm. J. exp. Biol. 200: 883-896.
- Lee, R.W., Kraus, D.W., Doeller, J.E. 1996. Sulfide stimulation of oxygen consumption rate and cytochrome reduction in gills of the estuarine mussel *Geukensia demissa*. Biol. Bull. 191: 421-430.
- Lee, R.W., Childress, J.J. 1996. Inorganic N assimilation and ammonium pools in a deep-sea mussel containing methanotrophic endosymbionts. Biol. Bull. 190: 367-372.
- Lee, R.W., Childress, J.J. 1995. Assimilation of dissolved nitrogen by seep mytilid Ia, an undescribed deep-sea mussel containing methanotrophic endosymbionts: Fate of assimilated nitrogen and relation between methane and nitrogen assimilation. Mar. Ecol. Prog. Ser. 123: 137-148.
- Lee, R.W., Childress, J.J. 1994. Assimilation of inorganic nitrogen by marine invertebrates and their chemoautotrophic and methanotrophic symbionts. Appl. Environ. Microbiol. 60: 1852-1858.
- Toulmond, A., Lallier, F.H., Frescheville, J.D., Childress, J.J., Lee, R.W., Sanders, N.K. and Desbruyeres, D. 1994. Unusual carbon dioxide-combining properties of body fluids in the hydrothermal vent tubeworm *Riftia pachyptila*. Deep-Sea Res. 41: 1447-1456.
- Childress, J.J., Lee, R.W., Sanders, N.K., Felbeck, H., Oros, D.R., Toulmond, A., Desbruyeres, D., Kennicutt, M.C., Brooks, J. 1993. Inorganic carbon uptake in hydrothermal vent tubeworms facilitated by high environmental pCO<sub>2</sub>. Nature 362: 147-149.
- Lee, R.W., Thuesen, E.V., Childress, J.J., Fisher, C.R. 1992. Ammonium and free amino acid uptake by a deep-sea mussel containing methanotrophic bacterial symbionts. Mar. Biol. 113: 99-106.
- Lee, R.W., Thuesen, E.V., Childress, J.J. 1992. Ammonium and free amino acids as nitrogen sources for the chemoautotrophic symbiosis *Solemya reidi* (Bivalvia: Protobranchia). J. Exp. Mar. Biol. Ecol. 158: 75-91.